

 beslist.nl

## Configuratie

Beslist Winkelwagen Connect for Magento 2

Complete reference for configuring the [Beslist.nl Winkelwagen Connect extension](#). This guide explains every setting to help you optimize your Beslist.nl integration, from basic feed generation to advanced order import and real-time inventory synchronization. Whether you're setting up product exports, configuring shipping rules, or automating order fulfillment, this reference covers all configuration options available in the module.

**Configuration Path:** Stores → Configuration → Magmodules

The module has two main sections:

- **Beslist.nl Feed** - Product feed configuration
- **Beslist.nl Orders & Items** - Order import and ShopItem API

## Beslist.nl Feed Configuration

---

### General Settings

**Path:** Beslist.nl Feed → General

#### Enable

**Default:** No

Enable the Beslist.nl feed module.

#### Self-test

Click to run diagnostic tests on your feed configuration. Checks:

- Attribute mappings
- Feed generation
- Product availability
- Required fields

### Attributes

**Path:** Beslist.nl Feed → Attributes

Map your Magento product attributes to Beslist.nl feed requirements.

#### General Fields

##### Name

- **Type:** Attribute selector

- **Required:** Yes

Product name for the feed. Usually "Product Name" attribute.

#### **Conditional/Multiple Options:**

- Select "Conditional" to use different attributes based on conditions
- Select "Multiple" to combine multiple attributes

#### **Description**

- **Type:** Attribute selector
- **Required:** Yes

Product description. Usually "Description" or "Short Description".

**Note:** HTML will be converted to plain text with `\n` for line breaks.

#### **Brand**

- **Type:** Attribute selector
- **Required:** Recommended

Manufacturer or brand attribute. Important for product categorization on Beslist.nl.

#### **EAN-code**

- **Type:** Attribute selector
- **Required:** Highly recommended

GTIN/EAN barcode. Helps Beslist.nl match products correctly.

#### **Product Images**

##### **Source**

- **Options:**
  - **Base Image Only** - Export only the main product image
  - **All Images** - Export all product images

**Main Image** (when "All Images" selected)

- **First Image** - Use first image as main
- **Base Image** - Use base image as main

**Recommendation:** Use "All Images" with "Base Image" for best product presentation.

#### **Additional Fields**

Optional fields that improve product listings, especially for fashion items.

**SKU** Product SKU/article number.

**Size (Apparel)** Clothing sizes (S, M, L, XL, etc.).

**Size (Non-apparel)** Other size specifications (dimensions, volume, etc.).

**Color** Product color attribute.

**Material** Material composition (cotton, polyester, leather, etc.).

**Gender** Target gender (Male, Female, Unisex).

**Recommendation:** Configure these for fashion and apparel products. Beslist.nl uses them to create variant codes for better product matching.

## Product Condition

### Condition Type

- **Static** - Same condition for all products
- **Attribute** - Use product attribute

**Default Value** (if Static)

- **Nieuw** (New)
- **Als nieuw** (Like New)
- **Gebruikt** (Used)

**Recommendation:** Use "Static" with "Nieuw" unless selling used/refurbished items.

## Delivery Time - Netherlands

Configure delivery time shown to Dutch customers.

### Delivery Time Type

- **Static** - Fixed text for all products
- **Attribute** - Use product attribute

**In Stock** Delivery time for in-stock products. Examples: "1-2 werkdagen", "24 uur"

**Out of Stock** Delivery time for out-of-stock products. **Recommendation:** Use "niet op voorraad" to exclude from feed

**Backorders** Delivery time for backorder products. Example: "2-3 weken"

**Dynamic Values:** You can include attribute values using `` syntax. Example: "Verwacht op "

## Delivery Time - Belgium

Same configuration as Netherlands, but for Belgian customers.

**Recommendation:** Belgian delivery typically takes 1 day longer than NL.

## Beslist Product Category

### Skip Category

- **Type:** Multi-select

Categories to exclude from the category path. Use this to remove categories like "SALE", "BRAND", etc. that aren't useful for Beslist.nl.

**Category if Empty** Fallback category for products without category assignment.

## Product Types

**Path:** Beslist.nl Feed → Product Types

### Configurable/Simple Products

#### Use Configurable/Simple Products

- **Parent Only** - Export configurable product only
- **Simple Products Only** - Export linked simple products only
- **Both** - Export both parent and simples

**Recommendation:** "Simple Products Only" - exports variants as individual products.

#### Use Parent Image for Simples

- **Never** - Always use simple product images
- **Only if Empty** - Use parent image if simple has none
- **Always** - Always use parent image

**Recommendation:** "Only if Empty"

**Use Parent Data for Simples** Multi-select which attributes to inherit from parent:

- Description
- Short Description
- Meta Data
- Brand
- EAN

- etc.

**Recommendation:** Select attributes that are same across variants (Brand, Description) but not variant-specific attributes (Color, Size).

### Use Fallback only on Non Visible Simple

- **Yes** - Only apply inheritance to "Not Visible Individually" products
- **No** - Apply to all simple products

**Recommendation:** Yes - visible simples are treated as standalone products.

## Advanced Options

**Path:** Beslist.nl Feed → Advanced Options

### Extra Fields

Add custom product features to the feed.

#### Extra Fields Table:

- **Name** - Feature name
- **Attribute** - Product attribute to use

**Note:** Only use on request from Beslist.nl to prevent feed errors.

### Shipping Prices

Configure shipping costs for Netherlands and Belgium.

#### Calculation

- **Price** - Based on product price
- **Weight** - Based on product weight

#### Shipping Settings Table:

- **Country** - NL or BE
- **From** - Minimum price/weight
- **To** - Maximum price/weight
- **Shipping Cost** - Cost in euros

#### Example Setup:

NL		0.00		50.00		5.95	(Paid shipping under €50)
NL		50.01		999999		0.00	(Free shipping over €50)

BE	0.00	75.00	7.95	(Paid shipping under €75)
BE	75.01	999999	0.00	(Free shipping over €75)

**Recommendation:** Match your actual shipping table or use flat rates required by Beslist.nl.

## Tax

### Tax Calculation

- **Exclude Tax** - Show prices excluding VAT
- **Include Tax** - Show prices including VAT

**Recommendation:** "Include Tax" - Beslist.nl shows prices including VAT to consumers.

## Filter Options

**Path:** Beslist.nl Feed → Filter Options

Control which products appear in the feed.

### Filter on Visibility

**Enable** Activate visibility filtering.

**Only add products with the following Visibility** Multi-select:

- Not Visible Individually
- Catalog
- Search
- Catalog, Search

**Recommendation:** Select "Catalog, Search" to include main products.

### Filter by Category

**Enable** Activate category filtering.

#### Type of Filter

- **Include** - Only products in selected categories
- **Exclude** - All products except those in selected categories

**Category** Multi-select categories to include/exclude.

**Note for Include:** Simple products within configurables must also be in the category.

**Note for Exclude:** Products in multiple categories must be excluded from all of them.

## Advanced Filters

**Enable** Activate advanced attribute-based filtering.

### Filter Conditions Table:

- **Attribute** - Product attribute
- **Condition** - Equals, Not Equals, Greater Than, etc.
- **Value** - Comparison value

### Example Use Cases:

- Exclude products under certain price
- Only include specific brands
- Filter by stock level
- Include only products with images

## Feed Generation Settings

**Path:** Beslist.nl Feed → Feed Generation Settings

### Feed Generation

**Enable** Enable feed generation for this store view.

**Filename** Custom filename for the feed (without extension). **Default:** "beslist"

**Feed URL:** `https://yourstore.com/pub/media/beslist/{filename}.xml`

### Cronjob

**Enable** Activate automatic feed generation via cron.

### Frequency

- Every hour
- Every 2 hours
- Every 6 hours
- Every 12 hours
- Daily
- Custom

**Custom Frequency** Cron expression for custom scheduling. Example: `0 */4 * * *` (every 4 hours)

**Recommendation:** "Every 6 hours" for most stores. More frequent if inventory changes rapidly.

## Advanced Settings

**Enable** Activate advanced generation options.

**Products per Batch** Split large catalogs into batches to reduce memory usage.

**Example:** For 50,000 products, use 5,000 per batch.

**Debug Memory Usage** Log memory usage to `var/log/beslist.log` for troubleshooting.

## Beslist.nl Orders & Items Configuration

---

### OrderXML Order Import

**Path:** Beslist.nl Orders & Items → OrderXML Order Import

Import Beslist.nl Winkelwagen orders into Magento.

#### Enable

Activate order import functionality.

#### API Settings

##### Modus

- **Disabled** - Turn off order import
- **Test** - Test mode for development
- **Live** - Production order import

**Order XML Key** API key provided by Beslist.nl.

**Client ID** Client identifier from Beslist.nl.

**Shop ID** Shop identifier from Beslist.nl.

**Day Limit** Only import orders from the last X days. **Default:** 7 days

**Product Id(s)** (Test mode only) Comma-separated product IDs to simulate test orders. Example: "4,8,15,16"

#### Shipping Method

**Default Shipping Method** Select which Magento shipping method to assign to Beslist.nl orders.

**Recommendation:** Create a dedicated "Beslist.nl" shipping method to preserve feed shipping costs.

**Select a fallback Shipping Method** Alternative if default is unavailable.

## Customers

**Import Customers** Create customer accounts for Beslist.nl orders.

**Customer Group** Which customer group to assign Beslist.nl customers.

## Address & Invoice

### Separate housenumber

- **Yes** - Split house number to second street line
- **No** - Keep in single street line

**Create invoice for order** Automatically create invoice when importing order.

**Use Beslist Order ID** Use Beslist.nl order ID instead of Magento increment ID.

**Send order email to customer** Send Magento order confirmation email.

**Recommendation:** Usually disabled as Beslist.nl sends their own confirmations.

## Cronjob

**Automation** Enable automatic order checking and import.

### Frequency

- Every 15 minutes
- Every 30 minutes
- Every hour
- Every 2 hours
- Custom

**Custom Frequency** Cron expression for custom scheduling.

### Fully Automate Order Import

- **Yes** - Orders automatically created in Magento
- **No** - Orders go to Beslist.nl order grid for manual review

**Recommendation:** Enable after testing to automate order flow.

### Failed Order Email

**Enable** Send email when order import fails.

**Email From** Sender identity.

**Email To** Recipient email address.

**Email Template** Template for failed order notifications.

### Debugging

**Enable** Log order imports to `var/log/beslist.log`.

**Recommendation:** Enable during setup, disable in production for performance.

## ShopItem API Updates

**Path:** Beslist.nl Orders & Items → ShopItem API Updates

Real-time price and stock synchronization.

### Enable

Activate ShopItem API functionality.

### API Settings

#### Modus

- **Disabled**
- **Test**
- **Live**

**API Key** ShopItem API key from Beslist.nl.

**Shop ID** Select your shop from the dropdown (populated after saving API key).

### Automation

#### Modus

- **Per Single Item** - Update one product at a time
- **Per Batch** - Update multiple products together

**Recommendation:** "Per Batch" for stores with frequent changes.

**Limit** Maximum number of items per update run. **Example:** 1000

### Invalidation

#### Modus

- **Observer** - Detect changes when product is saved

- **Cronjob** - Periodically check for changes

**Recommendation:**

- **Observer** - When manually managing products in Magento
- **Cronjob** - When using external product/stock management systems

**Cron**

**Enabled** Activate scheduled API updates.

**Frequency**

- Every 15 minutes
- Every 30 minutes
- Every hour
- Every 2 hours
- Custom

**Recommendation:** Match with your inventory update frequency.

**Logging**

**Enabled** Log API calls and updates.

**Clean Logs by cron** Automatically delete old logs.

**Clean After x Days** Number of days to retain logs. **Default:** 14 days

**Show Debug Message** Display detailed API responses in logs.

## Recommended Configuration

---

### Basic Setup (Feed Only)

1. **General:** Enable module
2. **Attributes:** Map Name, Description, Brand, EAN, Image
3. **Delivery Time:** Configure NL and BE delivery times
4. **Shipping:** Set up price-based shipping for NL and BE
5. **Product Types:** Use "Simple Products Only" for configurables
6. **Feed Generation:** Enable with 6-hour frequency
7. **Test:** Run self-test and verify feed

## Advanced Setup (Full Integration)

Everything from Basic Setup, plus:

8. **Order Import:** Configure OrderXML API in test mode
9. **Test Orders:** Import test orders and verify
10. **Order Import:** Switch to live mode, enable automation
11. **ShopItem API:** Configure in test mode
12. **ShopItem API:** Switch to live, enable cron updates
13. **Monitoring:** Enable logging, configure fail alerts

## Fashion/Apparel Stores

Additional configuration for clothing/shoes:

- **Additional Fields:** Map Size (Apparel), Color, Material, Gender
- **Variants:** Use "Simple Products Only" to export all sizes/colors
- **Parent Data:** Inherit Brand and Description from configurable parent

## Large Catalogs (10,000+ products)

- **Batch Size:** Set to 2,000-5,000 products per batch
- **Cron Frequency:** Feed every 12 hours (off-peak)
- **ShopItem Limit:** 1,000-2,000 items per run
- **Memory Debug:** Enable temporarily to optimize batch size

## Need More Help?

---

### Documentation:

- [All Help Articles](#) - Complete documentation overview

### Support:

- [Contact Support](#) - Get help from our team

For a complete overview of features and configuration options, see the Beslist Winkelwagen Connect extension on [magmodules.eu](http://magmodules.eu)

# All articles for Beslist Winkelwagen Connect

---

## Installation

---

1	<a href="#">Installatie met Composer (aanbevolen)</a>
2	<a href="#">Installatie via de Adobe Marketplace</a>
3	<a href="#">Installatie via FTP en SSH</a>

## Configuration

---

1	<a href="#">Quickstart Gids</a>
2	<b><a href="#">Configuratie (current)</a></b>

