magmodules

CLI Commando's

OpenAI Commerce for

Command line tools for the OpenAI Commerce extension. These commands are useful for manual feed generation, automation scripts, and troubleshooting.

Available Commands

Command	Description
`mm-openai:feed:create`	Generate the OpenAI Commerce feed
`mm-openai:feed:cleanup`	Remove old feed files
`mm-openai:conversions:process`	Send pending OpenAI Ads purchase conversions

mm-openai:feed:create

Generates the OpenAI Commerce JSON feed. This is the same feed that runs via cron.

```
# Generate feeds for all enabled store views
bin/magento mm-openai:feed:create

# Generate feed for specific store view only
bin/magento mm-openai:feed:create --store-id=1
```

Options:

Option	Description
`--store-id`	Generate feed for this store view only. If omitted, all enabled store views are processed.

Output: Shows progress and the number of products exported per store view.

Use this when:

- Testing feed generation without waiting for cron
- Troubleshooting feed issues (CLI provides more detailed output)
- Running feed generation from deployment scripts
- Manual feed refresh after catalog updates

mm-openai:feed:cleanup

Removes old feed files from the feed directory. Useful for cleaning up storage.

```
bin/magento mm-openai:feed:cleanup
```

Use this when:

- Disk space is running low
- You want to remove outdated feed files
- After changing feed filenames

mm-openai:conversions:process

Sends all pending purchase conversions to the OpenAI Ads Conversions API. This is the same job the cron runs every 5 minutes; the output lists sent, failed and skipped conversions per store.

```
bin/magento mm-openai:conversions:process
```

Use this when:

- You want to deliver conversions right away instead of waiting for cron
- You are debugging delivery problems (combine with Debug Mode)
- Cron is temporarily unavailable

Examples

Manual feed generation after catalog update

```
# Generate fresh feed immediately
bin/magento mm-openai:feed:create --store-id=1
```

Generate all feeds (deployment script)

```
# After deployment, regenerate all feeds
bin/magento cache:flush
bin/magento mm-openai:feed:create
```

Troubleshoot specific store view

```
# Generate with output visible
bin/magento mm-openai:feed:create --store-id=1
```

```
# Check the generated feed
cat var/export/openai/openai_1.json | head -100
```

Need More Help?

Documentation:

- All Help Articles - Complete documentation overview

Support:

- Contact Support - Get help from our team

For a complete overview of features and configuration options, see the OpenAI Commerce extension on magmodules.eu

All articles for OpenAI Commerce

Installation

1	Installatie met Composer (aanbevolen)
2	Installatie via de Adobe Marketplace

Configuration

1	Snelstartgids
2	llms.txt Gids
3	Configuratiegids

Troubleshooting

1	Probleemoplossing

Background

1	Best Practices
2	**CLI Commando's** **(current)**

